

(19)



Europäisches Patentamt  
European Patent Office  
Office européen des brevets



(11)

**EP 1 400 528 A1**

(12)

**EUROPEAN PATENT APPLICATION**

(43) Date of publication:

**24.03.2004 Bulletin 2004/13**

(51) Int Cl.7: **C07H 17/00**

(21) Application number: **02292305.6**

(22) Date of filing: **19.09.2002**

(84) Designated Contracting States:

**AT BE BG CH CY CZ DE DK EE ES FI FR GB GR  
IE IT LI LU MC NL PT SE SK TR**

Designated Extension States:

**AL LT LV MK RO SI**

(71) Applicant: **Alembic Limited**

**Vadodara 390003, Gujarat (IN)**

(72) Inventor: **Srinivasan, Rengaraju**

**Vadodara-39000, Gujarat (IN)**

(74) Representative: **Bernasconi, Jean Raymond et al**

**c/o Cabinet Lavoix,  
2, Place d'Estienne d'Orves  
75441 Paris Cedex 09 (FR)**

(54) **An improved process for the preparation of azithromycin monohydrate**

(57) The invention relates to a process for making Azithromycin crystals using a number of process steps that avoids the use of cumbersome and/or inefficient extraction and/or isolation procedures.

**EP 1 400 528 A1**

## Description


## BACKGROUND OF THE INVENTION

## Field of the Invention

[0001] The invention relates to an improved process for the preparation of Azithromycin monohydrate. More particularly, the invention is directed to a more simplified process for the preparation of Azithromycin monohydrate that circumvents the need to use cumbersome and/or inefficient extraction and/or isolation procedures.

## Description of the Related Art

[0002] Azithromycin (Formula (1)) (USAN generic name for 9-Deoxy-9a-aza-9a-methyl-9a-homo-erythromycin A) is a 15 membered ring macrolide belonging to a new class of antibiotics termed "Azalides", due to the incorporation of a nitrogen atom in the macrocyclic ring:



[0003] 11-(4-Dimethylamino-3-hydroxy-6-methyl-tetrahydro-pyran-2-yloxy)-2-ethyl-3,4,10-trihydroxy-13-(5-hydroxy-4-methoxy-4,6-dimethyl-tetrahydro-pyran-2-yloxy)-3,5,6,8,10,12,14-heptomethyl-1-oxa-6-aza-cyclopentadecan-15-one (Formula (1)) Azithromycin is derived from the 14-membered macrolide antibiotic erythromycin A and shows significant improvement in its activity against gram - Ve organisms compared to erythromycin A (C. J. Dunn and L. B. Barradell Azithromycin: A Review of its Pharmacological properties and use as a 3-day therapy in respiratory tract infections, Drug, 1996, March, 51(3)483-505). The numbering scheme for Azithromycin is indicated in Formula (1) below (which is equivalent to the same Formula (1) depicted above):



(a) dissolving 9-Deoxy-9a-aza-9a-homoerythromycin A in a non-halogenated, water miscible, and non-aqueous solvent to form a solution;

- (b) adding formic acid and formaldehyde to the solution;
- (c) refluxing the solution to form a reaction mixture;
- (d) adjusting the pH of the reaction mixture from about 10 to about 11;
- (e) optionally filtering the pH adjusted reaction mixture of step (d); and
- (f) adding water to the reaction mixture to precipitate the Azithromycin monohydrate crystals.

According to another embodiment of the present invention, the process for making Azithromycin monohydrate crystals comprises the above noted steps (a) - (f) except that in step (a) the non-halogenated, water-miscible, non-aqueous solvent is acetonitrile, N,N-dimethylformamide, N,N-dimethylacetamide, acetone, or iso-propanol.

[0009] Preferably, in any of the embodiments described herein, the Azithromycin monohydrate crystals may be filtered in a further step (g), and then advantageously dried in a further step (h), for example at a temperature of about 50°C under vacuum to attain a moisture content of about 4 to 6 % w/w. However, other drying temperature and pressure combinations may be used in conjunction with the present invention as described herein to attain a moisture content of about 4 to 6 % w/w of the Azithromycin monohydrate crystals formed.

#### Detailed Description of the Preferred Embodiments

[0010] According to a preferred embodiment of this invention, an improved process for preparation of Azithromycin monohydrate crystals comprises of the following steps.

- (a) dissolving 9-Deoxo-9a-aza-9a-homoerythromycin A in acetonitrile to form a solution;
- (b) adding formic acid followed by adding formaldehyde to said solution;
- (c) refluxing said solution to form a reaction mixture;
- (d) adjusting the pH of said reaction mixture to about 10 to about 11 by using sodium hydroxide;
- (e) optionally filtering said reaction mixture to remove any particles;
- (f) adding water to the optionally filtered solution to precipitate Azithromycin monohydrate crystals;
- (g) filtering said azithromycin monohydrate crystals; and
- (h) drying said crystals under vacuum at 50°C to attain a moisture content of about 4 to about 6% by weight based on a total weight of said crystals.

[0011] Preferably, in any of the embodiments described herein, the Azithromycin monohydrate crystals can be dried either at ambient temperature and pressure or at various other drying conditions which are encompassed within the scope of the invention including, but not limited to, any temperature and pressure drying combination that provides dried crystals having a moisture content of about 4 to about 6% w/w without (or without substantially) diminishing the yield and/or purity of the precipitated crystals. Of course, variations of the drying temperature and pressure combinations are within the scope of the present invention as will be readily recognized by one of ordinary skill in the field of this invention.

[0012] In the process of the present invention described above, the acetonitrile solvent described in step (a) can be replaced by any other equivalent solvent such as N,N-dimethylformamide, N,N-dimethylacetamide, acetone or, iso-propanol. In the process of the present invention, the pH of the reaction mixture recited in step (d) can be adjusted, preferably with alkali, such as, sodium hydroxide, potassium hydroxide, ammonium hydroxide or combinations thereof. In step (f) of the present inventive process, water is added to the pH adjusted reaction mixture to precipitate the Azithromycin monohydrate crystals.

[0013] According to another embodiment, the process for making Azithromycin monohydrate comprises the steps of:

- (a) dissolving 9-Deoxo-9a-aza-9a-homoerythromycin A in acetonitrile to form a solution;
- (b) adding formic acid followed by adding formaldehyde to said solution;
- (c) refluxing said solution to form a reaction mixture;
- (d) adjusting the pH of said reaction mixture from about 10 to about 11 with NaOH;
- (e) optionally filtering the pH adjusted reaction mixture of step (d);
- (f) adding water to said reaction mixture to precipitate Azithromycin monohydrate crystals
- (g) filtering said precipitated crystals; and
- (h) drying said crystals.

[0014] The process of the invention will now be described with reference to the following example which is only illustrative and should in no way be interpreted so as to limit the scope of the present invention.

**Example - Preparation of Azithromycin Monohydrate**

[0015] 9-Deoxy-9a-aza-9a-homoerythromycin A (73.5g - 0.1 mole) was dissolved in 250 ml acetonitrile. To this solution, formic acid (19 ml, 0.5 mole) followed by formaldehyde (37%, 20 ml, 0.25 mole) were added and refluxed for 24 hours. The pH of the reaction mixture was adjusted with alkali (NaOH solution) to 10.5 and filtered to remove particles. To the filtered acetonitrile solution, an equal volume of water was added to precipitate Azithromycin monohydrate as cube shaped crystals. The crystals were filtered and dried under vacuum at 50°C to give 65g of Azithromycin monohydrate having water content of 5% (water content measured by the Karl Fischer titration method). This sample of Azithromycin monohydrate crystals has a characteristic solid state (KBr pellet) IR spectrum (Fig 1) and a characteristic X-ray diffraction pattern (Fig 2).

[0016] In the process described above reductive methylation is carried out in acetonitrile (solvent) and Azithromycin monohydrate crystals are directly precipitated from the reaction mixture without the need for conducting any extraction procedure.

[0017] All patent, patent applications, articles, publications, textbooks and any other references cited in this application are incorporated herein by reference in their entirety for all purposes.

**Claims**

1. A process for making Azithromycin monohydrate crystals, said process comprising the steps of:
  - (a) dissolving 9-Deoxy-9a-aza-9a-homoerythromycin A in a non-halogenated, water miscible, and non-aqueous solvent to form a solution;
  - (b) adding formic acid and formaldehyde to said solution;
  - (c) refluxing said solution to form a reaction mixture;
  - (d) adjusting the pH of said reaction mixture from about 10 to about 11 with alkaline solution;
  - (e) optionally filtering the pH adjusted reaction mixture of step (d);
  - (f) adding water to said reaction mixture to precipitate said Azithromycin monohydrate crystals;
  - (g) filtering out said Azithromycin monohydrate crystals precipitated in said step (f); and
  - (h) drying said Azithromycin monohydrate crystals.
2. The process of claim 1, wherein said drying step (h) comprises drying said Azithromycin monohydrate crystals at 50°C under vacuum to attain a moisture content from about 4% to about 6% based on a total weight of said crystals.
3. The process of claim 1, wherein in said step (a), said non-halogenated solvent is selected from the group consisting of acetonitrile, acetone, N,N-dimethylformamide, N,N-dimethylacetamide, and iso-propanol.
4. The process of claim 3, wherein said non-halogenated solvent is acetonitrile.
5. The process of claim 1, wherein said alkaline solution is selected from the group consisting of sodium hydroxide solution, potassium hydroxide solution, and ammonium hydroxide solution.
6. The process of claim 5, wherein said alkaline solution is sodium hydroxide solution.
7. The process of claim 1, wherein said optional step (e) is conducted.
8. The process of claim 1, wherein said refluxing step (c) is conducted for 24 hours in acetonitrile.
9. The process of claim 1, wherein said drying step is conducted at a temperature and pressure sufficient to substantially remove said water and said acetonitrile from said crystals to yield substantially dry crystals of Azithromycin monohydrate having a moisture content from about 4 to about 6% by weight based on a total weight of said crystals.
10. A process for making Azithromycin monohydrate crystals, said process comprising the steps of:
  - (a) dissolving 9-Deoxy-9a-aza-9a-homoerythromycin A in a non-halogenated, water miscible, and non-aqueous solvent to form a solution;
  - (b) adding formic acid and formaldehyde to said solution;
  - (c) refluxing said solution to form a reaction mixture;

- (d) adjusting the pH of said reaction mixture from about 10 to about 11 with alkaline solution; and
- (e) optionally filtering the pH adjusted reaction mixture of step (d);
- (f) adding water to said reaction mixture to precipitate said Azithromycin monohydrate crystals.

5 11. The process of claim 10, further comprising the step of:

- (g) filtering out said Azithromycin monohydrate crystals precipitated from step (f).

10 12. The process of claim 11, further comprising the step of:

- (h) drying said Azithromycin monohydrate crystals.

15 13. The process of claim 1, wherein, in said step (b), said formaldehyde is added to said solution after adding said formic acid.

20

25

30

35


40

45

50

55

FIG. 1



BEST AVAILABLE COPY

BEST AVAILABLE COPY

FIG. 2

XPerf Graphics & Identity  
Graph: Azithromycin-USP

Manager  
03/10/2000 16:04



EP 1 400 528 A1





European Patent  
Office

## EUROPEAN SEARCH REPORT

Application Number  
EP 02 29 2305

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
X	EP 1 227 102 A (ALEMBIC LTD) 31 July 2002 (2002-07-31) page 4, lines 9-16; page 3, lines 55-56 ---	1-13	C07H17/00
A	EP 0 298 650 A (PFIZER) 11 January 1989 (1989-01-11) * the whole document *	1,10	
D,A	US 4 517 359 A (KOBREHEL GABRIJELA ET AL) 14 May 1985 (1985-05-14) * the whole document * -----	1,10	
			TECHNICAL FIELDS SEARCHED (Int.Cl.7)
			C07H
The present search report has been drawn up for all claims			
Place of search THE HAGUE		Date of completion of the search 5 February 2003	Examiner Fitz, W
CATEGORY OF CITED DOCUMENTS X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document		T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document	

EPO FORM 1503 03.02 (P04C01)

**ANNEX TO THE EUROPEAN SEARCH REPORT  
ON EUROPEAN PATENT APPLICATION NO.**

EP 02 29 2305

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report.  
The members are as contained in the European Patent Office EDP file on  
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

05-02-2003

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
EP 1227102	A	31-07-2002	EP 1227102 A1	31-07-2002
EP 0298650	A	11-01-1989	WO 8900576 A1	26-01-1989
			AP 44 A	27-07-1989
			AT 72446 T	15-02-1992
			AU 604553 B2	20-12-1990
			AU 1883988 A	12-01-1989
			BA 98213 B1	02-08-1999
			BG 47348 A3	15-06-1990
			CA 1314876 A1	23-03-1993
			CN 1030422 A ,B	18-01-1989
			CS 8804896 A2	14-03-1990
			CY 1776 A	20-10-1995
			DD 271705 A5	13-09-1989
			DE 3868296 D1	19-03-1992
			DK 380688 A	10-01-1989
			EP 0298650 A2	11-01-1989
			ES 2038756 T3	01-08-1993
			FI 900087 A ,B,	08-01-1990
			GR 3003737 T3	16-03-1993
			HK 127594 A	25-11-1994
			HU 9500738 A3	28-11-1995
			IE 60354 B1	29-06-1994
			IL 86979 A	15-11-1992
			IN 168879 A1	29-06-1991
			JP 1038096 A	08-02-1989
			JP 1903527 C	08-02-1995
			JP 6031300 B	27-04-1994
			KR 9006218 B1	25-08-1990
			LV 10624 A	20-04-1995
			MX 12213 A	01-05-1993
			NO 171556 B	21-12-1992
			NZ 225338 A	26-02-1990
			OA 8743 A	31-03-1989
			PL 273590 A1	20-03-1989
			PT 87933 A ,B	30-06-1989
			RO 107257 B1	30-10-1993
			SG 27794 G	14-10-1994
			SI 8811325 A8	31-12-1996
			RU 2066324 C1	10-09-1996
			US 6268489 B1	31-07-2001
			YU 132588 A1	28-02-1990
			ZA 8804925 A	28-02-1990
US 4517359	A	14-05-1985	YU 59281 A1	30-06-1983
			AT 375945 B	25-09-1984

EPO FORM P0459

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

**ANNEX TO THE EUROPEAN SEARCH REPORT  
ON EUROPEAN PATENT APPLICATION NO.**

EP 02 29 2305

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report.  
The members are as contained in the European Patent Office EDP file on  
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

05-02-2003

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 4517359      A	AT	440081 A	15-02-1984
	BE	892357 A1	01-07-1982
	CA	1191843 A1	13-08-1985
	CH	655728 A5	15-05-1986
	CZ	9104189 A3	13-01-1993
	DD	202437 A5	14-09-1983
	DE	3140449 A1	13-10-1983
	FR	2501212 A1	10-09-1982
	GB	2094293 A ,B	15-09-1982
	HR	930015 B1	30-04-1996
	HU	186845 B	30-09-1985
	IT	1200960 B	27-01-1989
	JP	1221784 C	26-07-1984
	JP	57158798 A	30-09-1982
	JP	58058357 B	24-12-1983
	PL	235329 A1	27-09-1982
	PL	133764 B1	29-06-1985
	SE	457084 B	28-11-1988
	SE	8201311 A	07-09-1982
	SI	8110592 A8	30-06-1996
	SK	418991 A3	11-07-1995
	SU	1287755 A3	30-01-1987
-----			

EPO FORM P0153

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82